

	Hits	Search Text	DBs
1	68	set\$4 with language with application with ((operating adj system) or os)	USPAT; US-PGPUB
2	50	input adj method adj edit\$5	USPAT; US-PGPUB
3	0	((input adj method adj edit\$5) or (multi\$1lingual adj key\$1boar)) with (set\$3 near language)	USPAT; US-PGPUB
4	2	((input adj method adj edit\$5) or (multi\$1lingual adj key\$1boar)) same (set\$3 near language)	USPAT; US-PGPUB
5	15	((input adj method adj edit\$5) or (multi\$1lingual adj key\$1boar)) and (set\$3 near language)	USPAT; US-PGPUB
6	1	((input adj method adj edit\$5) or (multi\$1lingual adj key\$1boar)) and (detect\$3 near language)	USPAT; US-PGPUB
7	2	(set\$3 with (edit\$3 adj language))	USPAT; US-PGPUB
8	1	(detect\$3 with (edit\$3 adj language))	USPAT; US-PGPUB
9	0	(detect\$3 with (working near3 language))	USPAT; US-PGPUB
10	15	(set\$4 with (working near3 language))	USPAT; US-PGPUB
11	2	(set\$4 with (edit\$3 adj language))	USPAT; US-PGPUB
12	16	((chang\$3 or select\$3) with (working near3 language))	USPAT; US-PGPUB
13	8	set\$4 with language with application with ((operating adj system) or os)	EPO; JPO
14	177	((chang\$3 or select\$3 or set\$4) with ((working or edit\$3) near3 language))	USPAT; US-PGPUB
15	33	((chang\$3 or select\$3 or set\$4) with ((working or edit\$3) near3 language))	EPO; JPO
16	45	(locale with language) same (operating adj system)	USPAT; US-PGPUB
17	7	((locale with language) same (operating adj system)) and boot\$3	USPAT; US-PGPUB
18	25	((locale with language) same (operating adj system)) and load\$3	USPAT; US-PGPUB
19	29	((locale with language) same (operating adj system)) and start\$3	USPAT; US-PGPUB
20	38	((locale with language) same (operating adj system)) and (default or setting)	USPAT; US-PGPUB
21	26	((locale with language) same (operating adj system)) and (default)	USPAT; US-PGPUB

	Hits	Search Text	DBs
22	35	((locale with language) same (operating adj system)) and (setting)	USPAT; US-PGPUB
23	24	((locale with language) same (operating adj system)) and (initial\$8)	USPAT; US-PGPUB
24	11282	(initial\$8 with first with (program or application or software))	USPAT; US-PGPUB
25	124	(initial\$8 near2 parameters) with first with (program or application or software)	USPAT; US-PGPUB
26	4	(initial\$8 near2 parameters) with first with (program or application or software) with configur\$6	USPAT; US-PGPUB
27	198	(determin\$6 adj2 first) with (program or application or software) with configur\$6	USPAT; US-PGPUB
28	44	(determin\$6 adj2 first) with (program or application or software) with (run\$5 or execut\$5 or load\$3 or boot\$3) with configur\$6	USPAT; US-PGPUB
29	6	(determin\$6 adj2 initial) with (program or application or software) with (run\$5 or execut\$5 or load\$3 or boot\$3) with configur\$6	USPAT; US-PGPUB
30	6	((locale with language) with (set\$4) with default)	USPAT; US-PGPUB
31	3	((locale with language) with (initializ\$6))	USPAT; US-PGPUB
32	15	((locale with language) and (initializ\$6 with language))	USPAT; US-PGPUB
33	21	((locale with language) and (initializ\$6 with default))	USPAT; US-PGPUB
34	9	((locale with language) and (first with default with language))	USPAT; US-PGPUB
35	48	((locale with language) and (first with default))	USPAT; US-PGPUB
36	585	((parameters or setting) same (first with default) same (application or program or software))	USPAT; US-PGPUB
37	215	((parameters or setting) with (first with default) with (application or program or software))	USPAT; US-PGPUB
38	10	((parameters or settings) near2 default) with (first near2 (execut\$5 or run\$4 or open\$5 or launch\$3)) with (application or program or software)	USPAT; US-PGPUB

	Hits	Search Text	DBs
39	1	((parameters or options or settings) near2 default) with (first near2 (execut\$5 or run\$4 or open\$5 or launch\$3 or initia\$7) near2 time) with (application or program or software)	USPAT; US-PGPUB
40	6	((parameters or options or settings) near2 default) same (first near2 (execut\$5 or run\$4 or open\$5 or launch\$3 or initia\$7) near2 time) same (application or program or software)	USPAT; US-PGPUB
41	27	((parameters or options or settings)) with (first near2 (execut\$5 or run\$4 or open\$5 or launch\$3 or initia\$7) near2 time) with (application or program or software)	USPAT; US-PGPUB
42	1	"4858114".PN.	USPAT
43	0	(locale with language) same (operating adj system)	EPO; JPO
44	3	(initial\$8 near2 parameters) with first with (program or application or software)	EPO; JPO
45	3	(determin\$6 adj2 first) with (program or application or software) with configur\$6	EPO; JPO
46	3	((parameters or setting) with (first with default) with (application or program or software))	EPO; JPO